



MOTORCYCLE TRAILERS



BUILT FOR THE LONG HAUL

SPECIFICATIONS

		UMT 500	UMTV 500	UMT 1000	UMTV 1000	UMT 2000	UMTV 2000
Height	Apx. Interior Height	5'-2"	5'-2"	5'-2"	5'-2"	5'-2"	5'-2"
	Apx. Exterior Height	6'-9"	6'-9"	6'-9"	6'-9"	6'-9 ½"	6'-9 ½"
Axle	Independent Torsion Suspension Axles & E-Z [®] Lube Hubs	X	X	X	X	X	X
Tires	15" Bias-Ply Tires with White Spoke Wheels	X	X	X	X	NA	NA
	15" Radial Tires with White Mod Wheels	NA	NA	Opt.	Opt.	X	X
Hitch	4-Way Plug on 3,000 lb. Single Axle Models (w/o Brakes)	X	X	X	X	X	X
	7-Way Plug on Models with Electric Brakes	X	X	X	X	X	X
	Safety Chains	X	X	X	X	X	X
	2" Coupler on Models w/Single Idler Axles & Single 3500# Brake Axles	X	X	X	X	X	X
	2-5/16" Coupler on 6', 7', & 8.5' Wide Brake Tandem Axle Models	X	X	X	X	X	X
Frame	Steel Uni-Body Construction with All Framing @ 16" O.C.	X	X	X	X	X	X
	Rear Drop-Down Stabilizer Jacks	X	X	X	X	X	X
	18" Nose on V-Nose Models	NA	X	NA	X	NA	X
	Beavertail Floor	NA	NA	NA	NA	X	X
Vents	(2)-Flow Through Sidewall Vents	X	X	X	X	X	X
Interior	3/4" Plywood Floor	X	X	X	X	X	X
	Lauan Wall Liner	X	X	NA	NA	NA	NA
	3/8" Plywood Wall Liner	NA	NA	X	X	NA	NA
	3.6mm White Vinyl Ceiling & 9mm White Vinyl Int. Wall Liner	NA	NA	NA	NA	X	X
	ATP on Beavertail Portion of Floor	NA	NA	NA	NA	X	X
	Interior Ceiling Cove Matches Exterior Metal	NA	NA	NA	NA	X	X
12-Volt	(2) 12-Volt Dome Lights with Switch & 12-Volt Fuse Block	X	X	X	X	X	X
	Non-LED Clearance Lights & Recessed Tail Lights	X	X	NA	NA	NA	NA
	LED Recessed Tail Lights & Clearance Lights	NA	NA	X	X	X	X
Exterior	Screwed .030 Smooth Aluminum Exterior	X	X	NA	NA	NA	NA
	Glued and Screwless .030 Smooth Aluminum Exterior	NA	NA	X	X	X	X
	ATP Stone Guard, 3" Alum. Top Rub Rail & 1-1/2" Bottom Rail	X	X	X	X	X	X
	Aerodynamic URS Style TPO Front Cap	X	NA	X	NA	NA	NA
	Cast Corners, Unpolished, URS Style	NA	NA	NA	NA	X	NA
	One Piece Aluminum Roof	X	X	X	X	X	X
	Protective Undercoating on Lower Frame	X	X	X	X	X	X
	Bright Aluminum Front Corners (or nose of V-nose)	NA	NA	X	X	X	X
	2' Bright Aluminum on Sides and Ramp Door	NA	NA	X	X	Opt. 20"	Opt. 20"
	Bright Aluminum 2" Mesa, 20" High on Sides and Ramp Door	NA	NA	NA	NA	X	X
	Graphics Package	NA	NA	NA	NA	X	X
Bright Aluminum Radius Front Top	NA	NA	NA	NA	X	X	
Door	5' Rear Door Opening Height	X	X	X	X	X	X
	32" Barlock Side Door (28" on 12' Models with Tandem Axles)	X	X	X	X	See Bottom Row	See Bottom Row
	Barlocks on Ramp Door	X	X	X	X	X	X
	Light Duty Ramp Door With Spring Assist	X	X	X	X	NA	NA
	RV Lock & Cargo Vise Lock on Side Door	NA	NA	X	X	NA	NA
	Cargo Vise Locks on Ramp Door	NA	NA	X	X	X	X
	All Keyed Locks Keyed the Same	NA	NA	X	X	X	X
	Transition Flap Between Ramp Door and Main Floor	NA	NA	X	X	X	X
	Standard Duty Ramp Door with Spring Assist with 1' Alum. Flap	NA	NA	NA	NA	X	X
32" RV Style Door (28" on 12' Models with Tandem Axles)	NA	NA	NA	NA	X	X	

"X" = Standard

DESIGNED TO GO WHEREVER THE ROAD TAKES YOU.

No matter where you choose to ride, United Trailers' motorcycle trailers are designed to get you there and back again. A variety of sizes are offered and customization allows us to install the type of attachment system that works best for you. We can install everything from Heavy Duty D-rings, to the Removeable Wheel Chock, to E-track for the ultimate in versatility when securing your prized possessions. And, when the day is done, the trailer fits easily in your garage for safety and security.

POPULAR SIZES

Width	Length	GVWR	# Bikes*
6'	10'	2,990 lbs.	1
	12'	2,990 lbs.	1
7'	12'	7,000 lbs.	2
	14'	7,000 lbs.	2
	16'	7,000 lbs.	2-3
	18'	7,000 lbs.	2-3
8.5'	12'	7,000 lbs.	2
	14'	7,000 lbs.	2-3
	16'	7,000 lbs.	2-3
	18'	7,000 lbs.	4
	20'	7,000 lbs.	4

* Because motorcycle weights and lengths may vary, please check with your dealer.



UMT2000 Shown with optional:

- ATP flooring on ramp door
- 2 Motorcycle tie-down package "B"
- Black & white vinyl on floor



STD. TORSION SPRING

Raising and lowering the ramp door is easy with the powerful torsion-spring assist on all of our motorcycle trailers.

FLOOR OPTIONS



Marble-look Vinyl

Classy and clean looking, this is an easy to maintain floor.

Black And White Vinyl

Sporty, durable and attractive, this is a favorite among motorsports buffs.

Aluminum Tread Plate

You can't beat this heavy-duty floor that handles the toughest punishment.

.080 Smooth Aluminum

Great for a clean looking, yet tough and durable floor.

European Non-Skid

Rubber flooring that is great for use in rain or shine while providing safety.

OPTIONAL TIE-DOWN PACKAGES



Package "A":

4 Heavy Duty D-Rings

1 Removable Wheel Chock


Package "B":

8 Heavy Duty D-Rings


2 Removable Wheel Chocks

AVAILABLE COLORS

Metallic




Windstar Silver



Pewter



Charcoal



Indigo Blue



Arctic Green



Champagne

Additional colors available upon request for an additional charge.


Non-Metallic



White




Dove Gray



Black



Burgundy



Cargo Green



Red



Orange



Yellow

Caps are available in red, black and white only.

5-YEAR LIMITED WARRANTY



Every motorcycle trailer that United Trailers builds is backed by our 5 Year Limited Warranty providing peace of mind you can rely on.

25 YEAR LIMITED WARRANTY ON PLYWOOD FLOOR



United is proud to announce a 25 year limited warranty against delamination on our 3/4" plywood floor. See your dealer for details!

NATM COMPLIANCE



United Trailers builds all trailers in compliance with the guidelines of the National Association of Trailer Manufacturers.



6' x 12' UMT500



6' x 12' UMT1000



Trailer shown with optional two-tone package and aluminum star wheels

7' x 16' UMT2000



800-637-2592 | www.united-trailers.com

Units may be shown with optional features. Please see your dealer for current standard specifications and options. We reserve the right to change specifications at any time, without incurring obligation.

Your Friendly United Trailers Dealer is:

2009-02-27